ELSEVIER

Earth and Planetary Science Letters 122 (1994) 423–424

EPSL

Contents Volume 122

122 (1/2)

Paleomagnetism of latest Anisian (Middle Triassic) sections of the Prezzo Limestone and the Buchenstein Formation, Southern Alps, Italy
G. Muttoni and D.V. Kent 1
Upper Cretaceous paleomagnetic data from Shikotan Island, Kuril Arc: Implications for plate kinematics
M.L. Bazhenov and V.S. Burtman 19
Paleointensities for 10–22 ka from volcanic rocks in Japan and New Zealand
H. Tanaka, A. Otsuka, T. Tachibana and M. Kono 29
Elevated temperature viscous remanent magnetization of natural and synthetic multidomain magnetite
P.R. Kelso and S.K. Banerjee 43
Superkimberlites: A geodynamic diamond window to the Earth's core
S.E. Haggerty 57
Observations of impact-induced molten metal–silicate partitioning
L.R. Rowan and T.J. Ahrens 71
Seismological constraints on the gabbro–eclogite transition in subducted oceanic crust
D. Gubbins, A. Barnicoat and J. Cann 89
Heat flow, gravity and structure of the Abitibi belt, Superior Province, Canada: Implications for mantle heat flow
L. Guillou, J.-C. Mareschal, C. Jaupart, C. Gariépy, G. Bienfait and R. Lapointe 103
Carbonated, alkaline hybridizing melts from a sub-arc environment: Mantle wedge samples from the Tabar–Lihir–Tanga–Feni arc, Papua New Guinea
B.I.A. McInnes and E.M. Cameron 125
Examination of hydrothermal influences on oceanic beryllium using fluids, plume particles and sediments from the TAG hydrothermal field
D.L. Bourlès, E.T. Brown, C.R. German, C.I. Measures, J.M. Edmond, G.M. Raisbeck and F. Yiou 143
Chlorine-36 in groundwater as a palaeoclimatic indicator: the East Midlands Triassic sandstone aquifer (UK)
J.N. Andrews, W.M. Edmunds, P.L. Smedley, J.-C. Fontes, L.K. Fifield and G.L. Allan 159
Isotopic evidence for the retention of ^{90}Sr inferred from excess ^{90}Zr in the Oklo natural fission reactors: Implication for geochemical behaviour of fissiogenic Rb, Sr, Cs and Ba
H. Hidaka, T. Sugiyama, M. Ebihara and P. Holliger 173
Mineralogy and ^{39}Ar-^{40}Ar age of an old pristine basalt: Thermal history of the HED parent body
H. Takeda, H. Mori and D.D. Bogard 183
Investigation of spreading center evolution by joint inversion of seafloor magnetic anomaly and tectonic fabric data
T. Shoberg and S. Stein 195
Mantle dynamics constrained by degree 6 surface topography, seismic tomography and geoid: Inference on the origin of the South Pacific Superswell
A. Cazenave and C. Thoraval 207
A rock-magnetic record from Lake Baikal, Siberia: Evidence for Late Quaternary climate change
J.A. Peck, J.W. King, S.M. Colman and V.A. Kravchinsky 221

Express Letter

True polar wander during the middle Paleozoic?
R. Van der Voo 239

Discussions

Speculations about the cosmic origin of He and Ne in the interior of the Earth
Comment: F.M. Stuart 245
Reply: C.J. Allègre, Th. Staudacher and Ph. Sarda 249
The volume and residence time of magma beneath active volcanoes determined by decay-series disequilibria methods
Comment: M. Condomines 251
Reply: D.M. Pyle 257
Did Deccan volcanism pre-date the Cretaceous–Tertiary transition?
Comment: G. Féraud and V. Courtillot 259
Reply: T.R. Venkatesan, K. Pande and K. Gopalan 263

122 (3/4)

Bubble nucleation in rhyolitic melts: Experiments at high pressure, temperature, and water content
S. Hurwitz and O. Navon 267
Na, Al^{IV} and Al^{VI} in clinopyroxenes of subcontinental and suboceanic ridge peridotites: A clue to different melting processes in the mantle?
M. Seyler and E. Bonatti 281
Model for the structural evolution of the volcanoes of Réunion Island
P.-Y. Gillot, J.-C. Lefèvre and P.-E. Nativel 291
Microtektite-like impact glass associated with the Frasnian–Famennian boundary mass extinction
P. Claeys and J.-G. Casier 303
Measurement of the degree of smoothing in sediment paleomagnetic secular variation records: an example from late Quaternary deep-sea sediments of the Bermuda Rise, western North Atlantic Ocean
S.P. Lund and L. Keigwin 317
The fold test: an eigen analysis approach
L. Tauxe and G.S. Watson 331
Evidence for excavation of deep crustal material of a Vesta-like body from Ca compositional gradients in pyroxene
M. Miyamoto and H. Takeda 343
An inverse method for determining lithospheric strain rate variation on geological timescales
N. White 351
Reaction kinetics, geospeedometry, and relaxation theory
Y. Zhang 373
Multipath Ar transport in K-feldspar deduced from isothermal heating experiments
I.M. Villa 393
Fayalite–silica association in unequilibrated ordinary chondrites: Evidence for aqueous alteration on a parent body
J.T. Wasson and A.N. Krot 403

Erratum

Paleomagnetic estimate of the emplacement temperature of the long-runout Nevado de Colima volcanic debris avalanche deposit, Mexico. Earth Planet. Sci. Lett. 120, 499–510, 1993
B.M. Clement, C.B. Connor and G. Draper 417

Author Index Volume 122 419